


MDRS-VIP-M-10
DATA SHEET , SPECIFICATION , CATALOGUE



Adres : Saray Mahallesi / Atom Caddesi / Küme Evleri No : 155 Kahramankazan ANKARA / TÜRKİYE

www.madoors.com.tr **e-mail** : info@madoors.com.tr **Tel** : 00 90 312 354 64 22 **Mobil Tel** :00 90 530 174 30 56



Non-Motorized Swing Gate VIP Turnstile

Our MDRS-VIP-M-10 Manual Non-Motor Vip Turnstile Systems are vip turnstile systems used to control the passage of people in certain areas in an orderly manner. These controls can also be done manually by the officers, but they are not preferred as the work will progress very slowly in this way. Instead of these, our MDRS-VIP-M-10 Manual Non-Motorized Swing Gate Vip Turnstile Systems completely stop irregular passages. It provides a regular pedestrian circulation.

MDRS-VIP-M-10 Manual Non-Motorized Swing Gate Vip Turnstile is one of the turnstile systems models that consists of a completely manual mechanism, but because it does not have any electronic components, the probability of failure is very, very low.

With its simple and practical structure, the MDRS-VIP-M-10 is one of the product models that work very stable in areas of use, the production of which is designed extremely aesthetically. Manual Non-motorized VIP turnstiles are divided into a few different features among themselves. The leaf turnstile model we mentioned in the picture is a stylish leaf turnstile model whose direction can be adjusted as an entrance or exit during production according to the customer's preference, does not contain any lock mechanism, and allows everyone to pass in the passage direction of the turnstile.



Adres : Saray Mahallesi / Atom Caddesi / Küme Evleri **No** : 155 Kahramankazan ANKARA / **TÜRKİYE**

www.madoors.com.tr **e-mail** : info@madoors.com.tr **Tel** : 00 90 312 354 64 22 **Mobil Tel** :00 90 530 174 30 56



Manual Turnstile Mechanical Swing Gate Turnstile

We can provide OEM and ODM services. All of our products carry a 2 years warranty and durable maintenance and repair support. We also provide biometric devices, such as fingerprint scanners, and face recognition cameras. RFID card reader, QR code scanner. If you need to integrate these devices on the turnstile gate or have any questions, please request a quote.

Technical Parameter:

1. Size: 89*89*1050 mm (can be customized)
2. Pass Width: standard 600mm max 900mm
3. Passing speed: 40 person/min
4. Power Supply: Not required
5. Power input: None
6. Material: SUS 304 stainless steel
7. Operating control: High-tension spring
8. Pass rate: 25-30 persons/minute
9. Passage direction: Single directional
10. Casing Material: 304 stainless steel
11. Manufacturing Technique: CNC laser cutting
12. Mechanical swing gate turnstile
13. Single pcs or two pcs a lane both are available
14. Relative Humidity: $\leq 95\%$, No Condensation
15. Operating Temperature: $-40^{\circ}\text{C}-70^{\circ}\text{C}$
16. Working Environment: Indoors or outdoors(outdoor is optional)
17. Application Site: Subway Station, Hoverport, Tourism Sports, Exhibition, Swimming Hall, Residence Area, Enterprise's Entrance and Exit Attendance, Gateway Guard, Charge Management, Special Access Control



Adres : Saray Mahallesi / Atom Caddesi / Kme Evleri **No** : 155 Kahramankazan ANKARA / **TRKİYE**

www.madoors.com.tr **e-mail** : info@madoors.com.tr **Tel** : 00 90 312 354 64 22 **Mobil Tel** :00 90 530 174 30 56





Adres : Saray Mahallesi / Atom Caddesi / Küme Evleri No : 155 Kahramankazan ANKARA / TÜRKİYE

www.madoors.com.tr e-mail : info@madoors.com.tr **Tel :** 00 90 312 354 64 22 **Mobil Tel :** 00 90 530 174 30 56

